

The eXperience Induction Machine and its Role in the Research on Presence

ABSTRACT

The eXperience Induction Machine (XIM) is an immersive room equipped with a number of sensors and effectors that has been constructed to conduct experiment in mixed-reality. XIM is an abstraction and further development of its predecessor, the installation “Ada – the intelligent space” that was built for the Swiss national exhibition Expo02. We will outline the hardware and software infrastructure of XIM, and describe in detail one application of XIM, the Persistent Virtual Community (PVC). We will conclude with the description of the development work currently underway and an outlook of the future public exhibition of the space.

1 Introduction

The eXperience Induction Machine (XIM) is an immersive room, equipped with a wide range of sensors and effectors (Figure 1). XIM is designed as a general purpose infrastructure to investigate human-artifact interaction. More specific questions include how a spatial enclosure can affect and interact with its visitors, how humans can act, exist and behave in both physical and virtual spaces, the construction of socially capable believable synthetic characters and the development of a framework for interactive narratives. Such an installation can either be implemented as a pure input/output device, or it can constitute an autonomous entity, with its own “ghost in the shell”. An abstraction of the input/output option and a precursor to the idea of an autonomous entity has been implemented with “Ada - the intelligent space” at the Swiss national exhibition Expo.02, a fair that has been visited by over

560.000 people over a period of 6 months [1]. Here we will describe in detail the hardware and software infrastructure of XIM and one of its applications called the Persistent Virtual Community (PVC). The conceptualization of the space as an autonomous, sentient entity is one of the key features which sets it off against other mixed-reality spaces e.g. the Allosphere at UCSB, the intelligent House at MIT, the Nanohouse at UTS and the Sentient Lab in the Faculty of Architecture, University of Sydney.

2 XIM infrastructure

XIM space covers a surface area of 5.5 x 5.5m, with a height of 4m. The majority of the instruments are mounted in a rig constructed from a standard truss system. The space is equipped with the following devices:




Figure 1: View into the eXperience Induction Machine (XIM). The room is 5.5x5m, and 4m high. A number of sensors and effectors are mounted in a rig structure. See text for further explanation.

- Three cameras at the top of the rig provide a "bird's eye view" that is combined with other sensory modalities for the accurate and reliable tracking of the visitors.
- Three microphones (Audio-Technica Pro45 unidirectional cardioid condenser, Stow, OH, USA) in the center of the rig provide the system with auditory input to localize visitors and to recognize specific sound events. The multi-modal tracking system uses both, the visual as well as the auditory information, to improve the accuracy of the localization and tracking process.
- XIM is equipped with 8 steerable theater lights or "LightFingers" (Martin MAC MAC250, Arhus, Denmark) that display a variety of visual effects that can be used to solicit the attention or interaction with the visitors.
- 4 steerable color cameras dubbed "Gazers" (Mechanical construction adapted from Martin MAC MAC250, Arhus, Denmark, camera blocks Sony, Japan) can provide detailed visual information on the visitors to the multi-modal tracking system. The "Gazers" are mounted in the corner of the space at head-height of the visitors to display a different viewing angle than that reflected by the ceiling-mounted cameras. At the same time, the visitor becomes aware of the fact that the space is "looking at her/him". The steering of both, the "LightFingers" as well as the "Gazers," is done via the DMX protocol. Additionally the parameters of the cameras in the "Gazers" are controlled via the Visca protocol.
- A total of 16 speakers (Mackie SR1521Z, USA) with the corresponding sound equipment (MIDI sampler, matrix mixer, amplifiers) can project spatialized sound into the space while a PA system (brand, city) are used to present the XIM generated soundscapes. The rig is surrounded by three projection screens (2.25m x 5m) onto which 6 video projectors (Sharp XGA video projector, Osaka, Japan) display graphics.
- 72 interactive tiles [7] (Custom. Mechanical construction by Westiform, Niederwengen, Switzerland, Interface cards Hilscher, Hattersheim, Germany) constitute the floor of the space. The floor serves a dual purpose. Firstly each floor tile is equipped with pressure sensors, and provides real-time weight information on the visitors. The spatial position of the visitors is assessed by compiling the weight readings from all the tiles. Secondly, each floor tile incorporates individually controllable RGB neon tubes, by which real-time patterns and light effects are displayed on the floor.
- The entire system is controlled by ~16 computers running the Linux operating system. These implement the subsystems such as the interactive music composition system Roboser [1] the tracking system, the Persistent Virtual Community world, XIM behavioral control, etc.

3 XIM application: The Persistent Virtual Community

One of the applications developed in XIM is the Persistent Virtual Community (PVC), which is one of the main goals of the PRESENCIA project. PRESENCIA (www.preseencia.org) is an Integrated Project funded under the European Sixth Framework Program, Future and Emerging Technologies (FET), which is tackling the phenomenon of subjective immersion in virtual worlds from a number of different angles. Within the PRESENCIA project, the PVC serves as a platform to conduct experiments on presence, in particular social presence in mixed reality.

The PVC uses all aspects of XIM as a mixed-reality platform which provides a venue where entities of different degrees of virtuality can meet and interact. These entities are:

- Real visitors in the XIM.
- Avatars i.e. alter egos of remote visitors.
- Fully synthetic characters controlled by neurobiologically grounded models of perception and behavior.

The mixed-reality world of the PVC consists of the Garden, the Clubhouse, and the Avatar Heaven (Figure 2, top). The Garden of the PVC is a model ecosystem. Its development and state depend on the interaction with and among visitors. The Clubhouse is a building in the Garden and houses the virtual XIM. The virtual version of the XIM is a direct mirror of the physical installation: any events and output from the physical installation are represented in the virtual XIM and vice versa. This means e.g. that an Avatar crossing the virtual XIM, will be represented in the physical installation as well. Conceptually the physical installation is "embedded" into the virtual world. This means that visitors in the physical installation looking out of the space will see into the virtual world. The major difference between real and virtual XIM is that in the virtual version, the space is able to control the influx of visitors to the space (Figure 4).

Access to the PVC is given via three portals: Visitors can either access through XIM, by way of a Cave Automatic Virtual Environment (CAVE), or via the internet from a PC (Figure 2, bottom).

Ultimately the mixed-reality installation of the PVC will be open to the general public. In this way the PVC provides a showcase for the key technologies developed in the PRESENCIA project.




Figure 2: Layout of the access to the Persistent Virtual Community (PVC). The upper section of the illustration shows the logical layout of the PVC. The mixed-reality world of the PVC consists of the Clubhouse, the Garden, and the Avatar Heaven. The virtual counterpart of the physical installation, the eXperience Induction Machine (XIM), is located inside the Clubhouse. The lower section depicts the three access modes to the PVC. Users can either access through the physical installation, or a Cave Automatic Virtual Environment (CAVE), or via the internet from a PC (remote user). The PVC will provide a venue where entities of different degrees of virtuality — from visitors of the real installation to avatars to remote visitors' alter egos — can meet and interact. PVC will control fully synthetic characters using neurobiologically grounded models of perception, cognition and behavior [3]. Ultimately, the mixed-reality installation will be open to the general public and will be a showcase for the key technologies of the PRESENCIA project.

In relation to the PVC, XIM is on the one hand the XIM is an interface to the system that allows visitors physically present in the environment. Avatars and synthetic characters. XIM has a “ghost in the shell”, i.e. it is a virtual entity which is engaging in interaction with the user, actively monitoring and modulating the user's experience.

XIM is constructed to induce a sense of social presence where groups of visitors can interact with a virtual environment of reference. This is a weaker sense of presence delivered in a CAVE. However, a CAVE can cater a single user. In case one wants to cater multiple users in mixed reality a XIM-like approach is a better approach. The aim of integrating

4 The Ghost in the Shell

Visitors to the eXperience Induction Machine (XIM) and its virtual counterpart should experience the space as an autonomous, sentient entity. What the visitor will encounter is — borrowing from the title of a Japanese cyberpunk manga — the “Ghost in the Shell”.

To achieve this, the space requires coherence of perception and behavior, as well as action regulation and learning on different temporal scales. Short-term behavior control and learning of expression in addition to means to influence the visitors will be based on the Distributed Adaptive Control framework (DAC)[3]. DAC is a general purpose adaptive learning model, which uses three strongly coupled control layers, reactive, adaptive and contextual, to learn the appropriate reactions to stimuli. Using robot based models of DAC5, it was shown that robots could learn complex rules in real-world situations [5].

Mid-term action selection requires a motivational system that provides the “Ghost in the Shell” with behavioral goals, and empowers it to assess deviations from a desired goal state. This framework gives us the opportunity to implement and evaluate models from motivational psychology, especially models of social motivation such as the “Zurich model of social motivation” [6]. An early prototype of this was implemented in Ada that mapped the ability of goal-achievement onto emotional states [8].

On the long-term time scale, the behavior of the “Ghost in the Shell” is defined by a circadian rhythm. This rhythm will be coupled to the day-night cycle of the PVC’s virtual world (which for scenographic reasons is shorter than in the real-world). This means that the long-term behavior of the space is defined by an intrinsic clock, which in turn is entrained by the state of the virtual environment, specifically by the lighting conditions. The long-term behavior regulation will be based on psychoneuroendocrinological models, such as the ones of circadian networks. Also Ada used such cycles albeit at a scale of minutes and not hours [1].

XIM can express itself graphically through floor tiles and projections. A second major means of expression is music. For

this purpose we use the real-time music composition system Roboser [4], which produces musical structures in real-time as a result of the interaction between the system and its human and non-human environment. The audio feedback should be able to reflect as authentic as possible the synthetic emotion or behavioral state of the interactive system. The validity of the composition system is evaluated by comparing the emotional states induced in humans by the system and the initial synthetic emotional state observed for the interactive system.

5 The large-scale neuronal systems simulator iqr

An installation such as the XIM needs an “operating system” for the integration and control of the different effectors and sensors. We use the XIM and PVC as a platform to apply and test large-scale neuronal models. These models will on the one hand realize the “ghost in the shell” of the space, and on the other hand control autonomous synthetic characters acting in the PVC. For both purposes, the “operating system” and the test of neurobiological models, we use the multi-level neuronal simulation environment iqr developed by the authors [2]. This software provides an efficient graphical environment to design and run simulations of large-scale multi-level neuronal systems. With iqr neuronal systems can control real-world devices — robots in the broader sense — in real-time. iqr is employed to develop and run the perceptive, cognitive, emotive, and behavioral control of the XIM. The key features of iqr are: ●graphical on-line control of the simulation, ●change of model parameters at run-time, ●on-line visualization and analysis of data, ●the possibility to connect neural models to real-world devices such as cameras, mobile robots, other hardware etc., ●pre-defined neuron and synapse types, ●open architecture for new neurons, synapses, and hardware interfaces. iqr comes with a wide range of pre-defined interfaces to hardware devices. These include modules to control Khepera and Koala robots (K-Team S.A., Lausanne), Lego MindStorms, and the blimp robots used in the AMOTH project. iqr is fully documented and freely available at <http://www.iqr-sim.net>



Figure 5: Mixed-reality version of the classic computer game „Pong“. The above photography shows a person playing Pong in the XIM against a person in a remote location, connecting to the PVC via the internet (photography below).

6 The system architecture of XIM

As mentioned previously, in the mixed-reality application PVC, the XIM fulfills the dual role as an autonomous sentient entity and as such a gateway into a virtual environment. The second role is a new functional requirement compared to the precursor installation Ada, and led to the redesign of most of the subsystems. These subsystems include the synthetic real-time music composition engine Roboser, the moving light and camera ("LightFinger" and "Gazer") control, the sound localization, the floor control, and the tracking system. We based the system architecture design of XIM (Figure 6) on two principles: Real and virtual XIM are functionally equivalent, and the "cognitive" component of XIM is decoupled from its physical and virtual representations. The first maxim entails that in the virtual counter part of XIM, effectors have to have

the same functional effect on visitors, but not necessarily be a faithful representation of the physical device. This functional equivalence is crucial for creating a coherent interaction in the mixed-reality environment. The second maxim implies that any event occurring in the real or the virtual space is indistinguishable for XIM's cognitive system. This allows for the permanent existence of the persistent virtual community despite its transient and indirect coupling to the physical XIM. The complexity of the tasks that the software architecture has to fulfill has increased. At the heart of the new system architecture stands the representation of the mixed-reality world. This is the role fulfilled by the VRServer. Remote visitors and synthetic characters are interfaced to the virtual world via network connections to the VRServer. Visitors to the physical instantiation of XIM are captured by the pressure sensitive floor, the overhead cameras, and the "Gazers".




Figure 6: System architecture of the integration of XIM with the PVC. At the heart of the architecture lies the representation of the mixed-reality world. This is the role fulfilled by the VRServer (Torque game engine, GarageGames, Inc., OR, USA). Remote visitors alike synthetic characters (clouds) are interfacing to the virtual world via network connections to the VRServer. Visitors to the physical instantiation of XIM are captured by the pressure sensitive floor, the overhead cameras, and the Gazers. The top-level behavior control of the system is implemented using the large-scale neuronal systems simulator iqr.

7 Conclusion and outlook

In this paper we have presented the eXperience Induction Machine (XIM), on the one hand as a general purpose infrastructure for research in the field of human-artifact interaction in mixed reality, and on the other hand introduced a concrete application of XIM in the Persistent Virtual Community (PVC). We have described the general hardware infrastructure, and the specific system architecture developed for the integration of the XIM with the PVC.

Current development includes the realization of an automated demo with an interactive narrative, whereby the space presents and explains to the visitor its infrastructure and its capabilities as well as introduces the visitor to the PVC.

The current realization of the XIM installation is a prototype space; we aim to deploy the XIM installation as a permanent exhibit at the communication campus of the UPF. The "22@BCN" installation will be significantly larger than the prototype space and covers an area of ~150m² (Table 1). The installation being part of a public exhibit brings about the advantage of a constant influx of naïve subjects. From the engineering point of view, the prospect of deploying the installation as a permanent exhibition means that the prototype space has to be modular in both the physical and the technological aspects in order to generalize easily to the larger interactive space.

Table 1: Comparison between the prototype space and the planned future installation.

prototype space	space 22@BCN
- 25m ² surface	- 150m ² surface
- 100 floor tiles	- 360 floor tiles
- 3 microphones	- 2x3 microphones
- 8 LightFingers	- 20 LightFingers
- 4 Gazers	- 10 Gazers
- 8 speakers	- 4+24 speakers
- 6 video projectors	- 12 video projectors

8 Acknowledgements

This project is supported and funded by the EU project PRESENCIA IST-2006-27731.

9 References

- [1] Eng, K and Klein, D and Baebler, A and Bernadet, U and Blanchard, M and Costa, M and Delbruck, T and Douglas, R J and Hepp, K and Manzolli, J and Mintz, M and Roth, F and Rutishauser, U and Wassermann, K and Whatley, A M and Wittmann, A and Wyss, R and Verschure, P F M J (2003) Design for a brain revisited: The neuromorphic design and functionality of the interactive space Ada. *Reviews in the Neurosciences*. 14: 145-180.
- [2] Bernadet, U., Blanchard, M.J. & Verschure, P.F.M.J. (2002) IQR: A distributed system for real-time real-world neuronal simulation. *Neurocomputing*, 44-46: 1043-1048.
- [3] Verschure, P.F.M.J., Voegtlin, T. & Douglas, R.J. (2003) Environmentally mediated synergy between perception and behaviour in mobile robots. *Nature*, 425: 620-624.
- [4] Manzolli, J and Verschure PFMJ (2005) Roboser: a Real-World Composition System. *Computer Music Journal*. 29: 55-74.
- [5] Verschure P.F.M.J., Althaus P.: A real-world rational agent: unifying old and new AI. *Cognitive Science* 27 (2003) 561-590.
- [6] Bischof, N. (1985). *Das Rätsel Ödipus - Die biologischen Wurzeln des Urkonfliktes von Intimität und Autonomie*. München: Piper.
- [7] Delbruck, T., A. M. Whatley, R. Douglas, K. Eng, K. Hepp and P. F. M. J. V. Verschure (2007). "A Tactile Luminous Floor for an Interactive Autonomous Space" *Robotics and Autonomous Systems* 55: 433-443.
- [8] Wasserman, K., et al., Live soundscape composition based on synthetic emotions: Using music to communicate between an interactive exhibition and its visitors. *IEEE MultiMedia*, 2003. **10**: p. 82-90.